












ΣΚΕΥΗ ΜΙΑΣ ΧΡΗΣΗΣ PP/ PET/ PS TD




ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ	
	PP BPM 1419, H25	PP	187/137/25	443	9	T/C	600/420/420	540	20	10.800
	PP BPM 1419, H31	PP	187/137/31	550	9	T/C	600/420/420	540	20	10.800
	PP BPM 1419, H35 (410μ)	PP	187/137/35	640	9	T/C	600/420/420	540	20	10.800
	PP BPM 1419, H35 (470μ)	PP	187/137/35	640	11	T/C	600/420/420	540	20	10.800
	PP BPM 1419, H35 (560μ)	PP	187/137/35	640	12	T/C	600/420/420	540	20	10.800
	PP BPM 1419, H37	PP	187/137/37	655	11	T/C	600/420/420	540	20	10.800
	PP BPM 1419, H50 (560μ)	PP	187/137/50	865	12	T/C	600/420/420	450	20	9.000
	PP BPM 1419, H50 (640μ)	PP	187/137/50	865	14	T/C	600/420/420	450	20	9.000
	PP BPM 1419, H50 (700μ)	PP	187/137/50	865	15,5	T/C	600/420/420	450	20	9.000
	PP BPM 1419, H50	PP	187/137/50	865	20	T/C	600/420/420	450	20	9.000
PP BPM 1419, H63 (640μ)	PP	187/137/63	1065	14	T/C	600/420/420	450	20	9.000	
PP BPM 1419, H63 (700μ)	PP	187/137/63	1065	15	T/C	600/420/420	450	20	9.000	
PP BPM 1419, H63 (810μ)	PP	187/137/63	1065	17	T/C	600/420/420	450	20	9.000	
PP BPM 1419, H71	PP	187/137/71	1165	15,5	T/C	600/420/420	450	20	9.000	
PP BPM 1419, H83	PP	187/137/83	1345	16	T/C	600/420/420	450	20	9.000	
Lid for PP BPM 1419	BOPS	193/145/15	n/a	7,5	T	600/420/420	1.200	20	24.000	
Lid for PP BPM 1419	PET	193/145/15	n/a	9,8	T	600/420/420	1.200	20	24.000	
	PP BPM 2315 /chicken/, H30	PP	144/230/30	725	14	T/C	610/470/436	480	20	9.600
	PP BPM 2315 /chicken/, H36	PP	144/230/36	880	14,6	T/C	610/470/436	480	20	9.600
	PP BPM 2315 /chicken/, H40	PP	144/230/40	955	15	T/C	610/470/436	480	20	9.600
	PP BPM 2315 /chicken/, H50	PP	144/230/50	1175	16,5	T/C	610/470/436	480	20	9.600
	PP BPM 2315 /chicken/, H60	PP	144/230/60	1390	19	T/C	610/470/436	480	20	9.600
	PP BPM 2315 /chicken/, H65	PP	144/230/65	1490	19,5	T/C	610/470/436	480	20	9.600
	PP BPM 2315 /chicken/, H80	PP	144/230/80	1785	22,3	T/C	610/470/436	450	20	9.000




ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ	
	PP BPM 1823, H36	PP	227/178/36	1100	18	T/C	600/420/420	320	20	6.400
	PP BPM 1823, H40	PP	227/178/40	1215	18	T/C	600/420/420	320	20	6.400
	PP BPM 1823, H50	PP	227/178/50	1495	20	T/C	600/420/420	320	20	6.400
	PP BPM 1823, H60	PP	227/178/60	1775	22	T/C	600/420/420	320	20	6.400
	PP BPM 1823, H65	PP	227/178/65	1905	23	T/C	600/420/420	300	20	6.000
	PP BPM 1823, H80	PP	227/178/80	2285	27	T/C	600/420/420	280	20	5.600
	PP BPM 1823, H90	PP	227/178/90	535	31	T/C	600/420/420	280	20	5.600
	PP BPM 1823 2 compartments, H50	PP	227/178/50	450+900	25	T/C	570/390/235	600	20	12.000
	Lid for PP BPM 1823	PET	235/185/25	n/a	16	T	600/420/480	450	16	7.200
	PP BPM 2632, H110L	PP	265/325/110		75	T/C	575/520/350	90	20	1.800
	PP BPM 2632, H100 L	PP	265/325/100	6165	63	T/C	575/520/375	90	16	1.440
	PP BPM 2632, H100 90gr.	PP	265/325/100	6165	90	T/C	575/520/375	90	16	1.440
	PP BPM 2632, H100 77gr.	PP	265/325/100	6165	77	T/C	575/520/375	90	16	1.440
	PP BPM 2632, H100	PP	265/325/100	6165	65	T/C	575/520/375	90	16	1.440
	PP BPM 2632, H30	PP	265/325/30	1965	44	T/C	575/520/375	100	16	1.600
	PP BPM 2632, H40	PP	265/325/40	2575	44	T/C	575/520/375	100	16	1.600
	PP BPM 2632, H50	PP	265/325/50	3200	48	T/C	575/520/375	100	16	1.600
	PP BPM 2632, H60	PP	265/325/60	3825	49	T/C	575/520/375	100	16	1.600
	PP BPM 2632, H65	PP	265/325/63	4100	52	T/C	575/520/375	100	16	1.600
	PP BPM 2632, H80	PP	265/325/80	5015	60	T/C	575/520/375	90	16	1.440
	PP BPM 2632, H90	PP	265/325/90	5605	60	T/C	575/520/375	90	16	1.440
	Lid for PP BPM 2632	PET	275/335/25	n/a	52	T	575/520/375	200	16	3.200
	PP BPM 275/175, H40	PP	275/175/40	1435	22,6	T/C	575/520/375	300	16	4.800
	PP BPM 275/175, H50	PP	275/175/50	1780	26	T/C	575/520/375	300	16	4.800
	PP BPM 275/175, H60	PP	275/175/60	2150	28	T/C	575/520/375	300	16	4.800




ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ	
	Cup d115 200ml	PP	Diam115/H40	200	6,5	T/C	585/550/450	1.000	16	16.000
	Cup d115 250ml	PP	Diam115/H50	250	7,2	T/C	585/550/450	1.000	16	16.000
	Cup d115 300ml green	PP	Diam115/H60	300	8,2	T/C	585/550/450	1.000	16	16.000
	Cup d115 350ml	PP	Diam115/H65	350	8,2	T/C	585/550/450	1.000	16	16.000
	Cup d115 500ml	PP	Diam115/H75	500	8,6	T/C	585/550/450	1.000	16	16.000
	Lid Cup d115 AL 1 TLC	PET	Diam115/H15	n/a	3,8	C	600/420/480	2.000	16	32.000
	Lid Cup d115 AL 1 SLC	BOPS	Diam115/H15	n/a	3,1	C	600/420/480	2.000	16	32.000
	Cup d100 125ml	PP	Diam100/H28	125	4	T/C	505/460/410	1.000	20	20.000
	Cup d100 200ml	PP	Diam100/H50	200	4,5	T/C	505/460/410	1.000	20	20.000
	Cup d100 250ml	PP	Diam100/H55	250	4,5	T/C	505/460/410	1.000	20	20.000
	Cup d100 300ml	PP	Diam100/H64	300	5,4	T/C	505/460/410	1.000	20	20.000
	Cup d100 400ml	PP	Diam100/H80	400	6,5	T/C	505/460/410	1.000	20	20.000
	Cup d100 500ml	PP	Diam100/H100	500	7	T/C	505/460/410	1.000	20	20.000
	Lid d100	PP	Diam100/H15	n/a	2,5	T	545/455/220	1.000	32	32.000
	Cup d95 250ml	PP	Diam95/H57	250	4,2	T/C	505/390/410	1.000	20	20.000
	Lid KP 95, PET	PET	0	n/a	2,6	T	600/420/400	3.000	20	60.000




ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ	
	Round cup 120 ml, Ø75 mm, PP	PP	Ø75/ H53	120	3,5	T/C	600/420/420	1.500	20	30.000
	LID for Round cup 120 ml, BOPS	BOPS	Ø75/ H15	n/a	2	T	600/420/420	3.000	20	60.000
	LID for Round cup 120 ml, PET	PET	Ø75/ H15	n/a	2,6	T	600/420/420	3.000	20	60.000
	Cont 190/138 1000ml	PP	190/138/60	1000	14,3	T	600/420/480	500	16	8.000
	Cont 190/138 500ml	PP	190/138/35	500	11,5	T	600/420/480	500	16	8.000
	Cont 190/138 750ml	PP	190/138/50	750	13,1	T	600/420/480	500	16	8.000
	Lid 190/138	PP	145/205/15	n/a	9,5	T	600/420/480	500	16	8.000
	DB 1000cc, PET	PET	D180/ H.74+25	1000	28	T	790/395/470	400	8	3.200
	DB 1000cc BG, PET	PET	D180/ H.74+25	1000	25	T	790/395/470	400	8	3200
	DB 750cc, PET	PET	D171/ H.62+25	750	25	T	790/395/470	400	8	3200
	DB 750cc BG, PET	PET	D171/ H.62+25	750	22	T	790/395/470	400	8	3200







ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ	
	HL 150cc	PET	112*120/ H30	150	6,7	T	590*510*572	1.000	16	16.000
	HL 250cc	PET	112*120/ H45	250	7,7	T	590*510*572	1.000	16	16.000
	HL 375cc	PET	112*120/ H60	375	9,5	T	590*510*572	1.000	16	16.000
	HL 500cc	PET	122*130/ H60	500	11,5	T	512*506*649	1.000	16	16.000
	HL 1000cc	PET	127*192/ H75	1000	19,4	T	590*510*572	600	16	9.600
	HL 1250 cc	PET	230*170/ H54	1250	26	T	720*320*450	300	15	4.500
	HL 1250 cc BG	PET	230*170/ H54	1250	24	T	720*320*450	300	15	4.500
	HL 1500 cc	PET	230*170/ H63.5	1500	29	T	720*320*450	300	15	4.500
	HL 1500 cc BG	PET	230*170/ H63.5	1500	26	T	720*320*450	300	15	4.500
	HL 1750 cc	PET	230*170/ H73	1750	32	T	720*320*450	300	15	4.500
HL 1750 cc BG	PET	230*170/ H73	1750	29	T	720*320*450	300	15	4.500	
HL 2000 cc	PET	230*170/ H85	2000	35	T	720*320*450	300	15	4.500	
HL 2000 cc BG	PET	230*170/ H85	2000	33	T	720*320*450	300	15	4.500	
HL-R 500cc	PET	127*192/ H45	500	16,4	T	590*510*572	600	16	9.600	
HL 750cc	PET	127*192/ H56	750	17,4	T	590*510*572	600	16	9.600	
HL-RH 500cc	PET	127*192/ H45+25	900	15,4	T	512*506*649	600	16	9.600	
HL-H 750cc	PET	127*192/ H56+25	1100	17,4	T	590*510*572	600	16	9.600	
HL-H 1000cc	PET	127*192/ H75+25	1300	19,4	T	590*510*572	600	16	9.600	
HL-PP 1000cc	PP	127*192/ H75	1000	19	T	590*510*572	600	16	9.600	
HL-PP 250cc	PP	112*120/ H45	250	8	T	590*510*572	1.000	16	16.000	
HL-PP 375cc	PP	112*120/ H60	375	9	T	590*510*572	1.000	16	16.000	
HL-PP 500cc	PP	122*130/ H60	500	11,5	T	590*510*572	1.000	16	16.000	
HL-RP 500cc	PP	127*192/ H45	500	15,5	T	512*506*649	600	16	9.600	
HL-PP 750cc	PP	127*192/ H56	750	16,5	T	590*510*572	600	16	9.600	
Cont 137/95 Kenar 250ml	PP	95/137/46	250	7,9	T/C	600/420/480	1.200	16	19.200	
Cont 137/95 Kenar 400ml	PP	95/137/65	400	8,8	T/C	600/420/480	1.200	16	19.200	
KPK 2 TLR	PET	98/140/15	n/a	6,3	T	600/420/420	2.400	20	48.000	

ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ	
	Cup TR 30	PP	136*94/ H30	180	5	T/C	600/420/480	2.400	16	38.400
	Cup TR 45	PP	136*94/ H45	270	6	T/C	600/420/480	2.400	16	38.400
	Cup TR 65	PP	136*94/ H65	450	6,5	T/C	600/420/480	2.400	16	38.400
	Lid for Cup TR	PET	96/138/15	n/a	4,8	T	600/420/420	2.400	20	48.000
	Lid for Cup TR	BOPS	96/138/15	n/a	4	T	600/420/420	2.400	20	48.000
	Rectang. BL 100 SBR, 1.0 l, BOPS	BOPS	125*210/ H68	1000	13,3	T	600/420/480	500	16	8.000
	Rectang. BL 40 SBR, 0.400 l, BOPS	BOPS	125*210/ H30	400	6,7	T	600/420/480	500	16	8.000
	Rectang. BL 50 SBR, 0.500 l, BOPS	BOPS	125*210/ H39	500	8,5	T	600/420/480	500	16	8.000
	Rectang. BL 65 SBR, 0.650 l, BOPS	BOPS	125*210/ H44	650	8,5	T	600/420/480	500	16	8.000
	Rectang. BL 75 SBR, 0.750 l, BOPS	BOPS	125*210/ H53	750	12,2	T	600/420/480	500	16	8.000
	Rectang. BL 90 SBR, 0.900 l, BOPS	BOPS	125*210/ H58	900	12,2	T	600/420/480	500	16	8.000
	Lid for Rectang. BL, BOPS	BOPS	125*210/ H10	n/a	6,8	T	600/420/480	1.000	16	16.000
	Rectang. GT 35 SBR, 0.350 l, BOPS	BOPS	154*134/ H38	350	5,6	T	600/420/420	800	20	16.000
	Rectang. GT 50 SBR, 0.500 l, BOPS	BOPS	154*134/ H50	500	7,1	T	600/420/420	800	20	16.000
	Rectang. GT 70 SBR, 0.700 l, BOPS	BOPS	154*134/ H68	700	9,1	T	600/420/420	800	20	16.000
	Lid for rectang. GT, BOPS	BOPS	154*130/ H10	n/a	4,8	T	600/420/420	1.200	20	24.000

ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ
	Cont. Familia 400ml	PET	105*158/ H50 mm	400	11 T	600/420/480	600	16	9.600
	Cont. Familia 800ml	PET	126,8*193,5/ H64,5 mm	800	17 T	600/420/480	270	16	4.320
	Cont. Familia 1200ml	PET	143*219/ H80 mm	1200	25 T	600/420/480	250	16	4.000
	Cont. Familia 2000ml	PET	143*219/ H110 mm	2000	40 T	600/420/400	200	20	4.000
	Lid Familia 400ml	PET	110*165/ H20 mm	n/a	7 T	575/520/375	600	16	9.600
	Lid Familia 800ml	PET	130,8*197,8/ H20 mm	n/a	11 T	600/420/400	360	20	7.200
	Lid Familia 1200/2000ml	PET	148*223/ H25 mm	n/a	20 T	600/420/480	360	16	5.760
	NS 2 SLS	BOPS	123*123/H15	n/a	4	600/420/400	1.500	20	30.000
	NS 20 SBS	BOPS	118*118/H32	200	3,7	600/420/400	750	20	15.000
	NS 40 SBS	BOPS	118*118/H53	400	6,7	600/420/400	750	20	15.000
	NS SLS	BOPS	116*116/H10	n/a	3,7	600/420/400	1.500	20	30.000
	NC 35 TBS	PET	118*118/H53	350	10,4	600/420/400	750	20	15.000
	NC TLS	PET	123*123/H15	n/a	5,1	600/420/400	1.500	20	30.000

ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ	
	Cont KISS Van Car	PS	Diam.71/H.78	n/a	3,6	Transp	600/420/400	1.620	20	32.400
	Lid KISS/OVER/JOE	PS	Diam.78/ H.60	n/a	3,4	Transp	600/420/400	1.720	20	34.400
	Cont 238/144 2000ml	PS	144/238/82	2000	31	White	Bag	100	50	5.000
	Cont 238/144 2500ml	PS	144/238/100	25000	31	White	Bag	100	50	5.000
	Lid 243/147 2000/2500ml	PS	147/243/15	n/a	14,5	White	600/420/400	500	20	10.000
	Cont Aloma 1000ml	PS	140/210/63	1000	20	White	600/420/400	300	20	6.000
	Lid Aloma 1000ml	PS	142/212/15	n/a	12	White	600/420/480	600	16	9.600

ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ	
	Cont Clever 2000ml	PS	236/160/90	2000	28,9	White	600/420/400	180	20	3.600
	Lid Clever 2000ml	PS	240/164/15	n/a	15,2	White	600/420/400	500	20	10.000
	Cont 200ml Izida	PS White	90/90/50	200	5,9		575/520/375	1.800	16	28.800
	Cont 110/110 400ml	PS White	110/110/60	400	9,9	White	600/420/420	500	20	10.000
	Cont 110/110 400ml natur	PS Transp	110/110/60	400	9,9	Transp	600/420/420	500	20	10.000
	Lid 110/110 400ml	PS White	115/115/10	400	4,2	White	600/420/480	2.400	16	38.400
	Lid 110/110 400ml natur	PS Transp	115/115/10	400	4,2	Transp	600/420/480	2.400	16	38.400

ΚΩΔΙΚΟΣ	ΥΛΙΚΟ	ΔΙΑΣΤΑΣΕΙΣ (mm)	ΧΩΡΗΤΙΚΟΤΗΤΑ (cc)	ΒΑΡΟΣ (gr)	ΧΡΩΜΑ	ΔΙΑΣΤΑΣΕΙΣ ΚΙΒΩΤΙΟΥ	ΤΜΧ/ ΚΙΒ	ΚΙΒ/ ΠΑΛ	ΤΜΧ/ ΠΑΛ	
	Cont 5000ml 320/250	PS	250/350/97	5000	69	White	Bag	50	50	2.500
	Cont 5000ml 320/250 PET	PET	250/350/97	5000	72	Transp	Bag	50	50	2.500
	KP 5000 TLR	PET	250/350/97	n/a	55	Transp	575/520/375	250	16	4.000
	Cont 5000ml 350/170	PS	350/170/120	5000	64	White	Bag	50	50	2.500
	Lid 350/170 5000ml	PS	350/170/15	n/a	31	White	Bag	100	50	5.000
	Cont Dolce Vita 3000ml	PS	148/338/82.5	3000	46	White	Bag	30	50	1.500
	Lid Dolce Vita	PS	150/340/15	n/a	28	White	Bag	200	50	10.000
	Cont 340/150 3000ml mod 2	PS	343/150/96	3000	54	White	Bag	40	50	2.000
	Cake Darko bottom	PS	Diam. 175 /flat	n/a	15	White	440/420/220	720	40	28.800
	Cake Darko lid	PS	Diam. 203/H.20	n/a	14	Transp	600/420/400	400	20	8.000
	Cake Darko base	PS	Diam. 195/ H.73	n/a	18	White	600/420/400	240	20	4.800
	SC 100cc	PET	60/85/43	100	4,1	Transp	600/420/420	2.400	20	48.000
	SC 30cc	PET	60/85/15	30	3	Transp	600/420/420	2.400	20	48.000
	SC 50cc	PET	60/85/23	50	3,4	Transp	600/420/420	2.400	20	48.000
	SC 80cc	PET	60/85/35	80	3,7	Transp	600/420/420	2.400	20	48.000