

REESEAL 32

This is the proposal of leading Italian packaging machinery manufacturer Reepack, offering a reliable, fully electric sealing machine. It provides perimeter film cutting for flawless results and is fully compatible with **next-generation packaging materials such as paper-based ones.**

It offers the possibility of mold change, covering more diverse and complex packaging requirements.

It can seal, depending on tray dimensions, more than one container per operating cycle.

It can be equipped with its own stainless-steel table to hold consumable packaging materials during production. Compact in size, it does not require connection to a noisy air compressor, which makes the machine low in energy consumption and suitable for long operating hours.



LOW-NOISE



USER-FRIENDLY



STAINLESS STEEL



ECO LINE







SANITARY DESIGN

Technical Specifications	REESEAL 32
Overall Machine Dimensions	481 x 551 x h 455 mm
Weight	40 kg
Maximum Film Width	390 mm
Power Supply	230V /AC/50-60Hz
Maximum Consumption	2kW
Productivity up to	6 cycles/minute

Maximum Trays Dimensions per Configuration:

FORMAT 1.1 FORMAT 1.2 FORMAT 2.1 FORMAT 2.2 FORMAT 3.1



Max 380 x 280 mm
- 360 x 270 mm
Max H 100 mm

Max 380 x 135 mm
- 360 x 135 mm
Max H 100 mm

Max 185 x 280 mm
- 180 x 270 mm
Max H 100 mm

Max 185 x 135 mm
- 180 x 130 mm
Max H 100 mm

Max 115 x 280 mm
- 110 x 270 mm
Max H 100 mm

General Features:

- Stainless-steel, high-quality construction suitable for food contact
- Electronic temperature control
- Automatic sealing activation system

kapelis
ackaging

Packaging Materials and Machinery

